

MAC1140 Precalculus
5.4 Practice Problems

1. Graph the base function. Identify the location of any vertical or horizontal asymptotes. Graph by plotting points

$$f(x) = \frac{1}{x}$$

| x | y |
|----------------|--|
| -2 | $\frac{1}{-2} = -\frac{1}{2}$ |
| -1 | $\frac{1}{-1} = -1$ |
| $-\frac{1}{2}$ | $\frac{1}{-\frac{1}{2}} = 1 \div -\frac{1}{2} = 1 \cdot \frac{-2}{1} = -2$ |
| $\frac{1}{2}$ | $\frac{1}{\frac{1}{2}} = 1 \div \frac{1}{2} = 1 \cdot \frac{2}{1} = 2$ |
| 1 | $\frac{1}{1} = 1$ |
| 2 | $\frac{1}{2} = \frac{1}{2}$ |

I chose these since they are close to zero. $f(x)$ is undefined for $x=0$

2. Graph the rational function using transformations.

$$f(x) = -\frac{1}{x-2} + 5$$

Base: $y = \frac{1}{x}$

Transformations

Right 2

reflection over x-axis

up 5

HA
 $y=5$

3. Graph the base function. Identify the location of any vertical or horizontal asymptotes.

$$f(x) = \frac{1}{x^2}$$

| x | y |
|----------------|---|
| -2 | $\frac{1}{(-2)^2} = \frac{1}{4}$ |
| -1 | $\frac{1}{(-1)^2} = \frac{1}{1} = 1$ |
| $-\frac{1}{2}$ | $\frac{1}{(-\frac{1}{2})^2} = \frac{1}{\frac{1}{4}} = 1 \div \frac{1}{4} = 1 \cdot \frac{4}{1} = 4$ |
| $\frac{1}{2}$ | $\frac{1}{(\frac{1}{2})^2} = \frac{1}{\frac{1}{4}} = 1 \div \frac{1}{4} = 1 \cdot \frac{4}{1} = 4$ |
| 1 | $\frac{1}{1^2} = \frac{1}{1} = 1$ |
| 2 | $\frac{1}{2^2} = \frac{1}{4} = \frac{1}{4}$ |

4. Graph the rational function using transformations.

$$f(x) = -\frac{1}{(x-2)^2} + 5$$

Base: $y = \frac{1}{x^2}$






Transformations

Right 2

reflection over x-axis

up 5

HA
 $y=5$



5. Use the graph to find the following.

Domain: $(-\infty, 4) \cup (4, 6) \cup (6, \infty)$ Range: $(-\infty, 1) \cup (1, 4) \cup (4, \infty)$

x-intercepts: $(-2, 0)$ y-intercept: $(0, -\frac{1}{2})$

Horizontal or Oblique/Slant Asymptote: $y = 1$

Vertical Asymptote(s): $x = 4$

Holes/Removable Discontinuities: $(6, 4)$

6. Use the graph to find the following.

Domain: $(-\infty, -2) \cup (-2, 3) \cup (3, \infty)$ Range: $(-\infty, 2) \cup [6.5, \infty)$

x-intercepts: $(-4, 0)$ $(5, 0)$ y-intercept: $(0, 6.7)$

Horizontal or Oblique/Slant Asymptote: $y = 2$

Vertical Asymptote(s): $x = -2, x = 3$

Holes/Removable Discontinuities: none

7. Use the graph to find the following.

Domain: $(-\infty, -4) \cup (-4, 3) \cup (3, \infty)$ Range: $(-\infty, \infty)$

x-intercepts: $(-3, 0)$ $(4, 0)$ y-intercept: $(0, 1)$

Horizontal or Oblique/Slant Asymptote: $y = 1$

Vertical Asymptote(s): $x = -4, x = 3$

Holes/Removable Discontinuities: none

8. Use the graph to find the following.


Domain: $(-\infty, 0) \cup (0, \infty)$ Range: $(-\infty, \infty)$

x-intercepts: $(-2, 0)$ $(2, 0)$ y-intercept: none

Horizontal or Oblique/Slant Asymptote: $y = 2x$

Vertical Asymptote(s): $x = 0$

Holes/Removable Discontinuities: none



9. Find the domain of the following rational functions.

a. $f(x) = \frac{3}{x+2}$

$x+2=0$
 $-2 -2$
 $x=-2$

D: $(-\infty, -2) \cup (-2, \infty)$

b. $g(x) = \frac{x+1}{2x-6}$ D: $(-\infty, 3) \cup (3, \infty)$

$2x-6=0$
 $+6 +6$
 $\frac{2x}{2} = \frac{6}{2}$
 $x=3$

c. $h(x) = \frac{3x^2-6x+2}{x-2}$

$x-2=0$ D: $(-\infty, 2) \cup (2, \infty)$
 $x=2$

d. $R(x) = \frac{x^2-9}{x^2+x-2}$

$x^2+x-2=0$
 $(x+2)(x-1)=0$
 $x+2=0$ $x-1=0$
 $x=-2$ $x=1$

D: $(-\infty, -2) \cup (-2, 1) \cup (1, \infty)$

e. $G(x) = \frac{x^2+2x-15}{x^2-25}$

$x^2-25=0$
 $(x+5)(x-5)=0$
 $x+5=0$ $x-5=0$
 $x=-5$ $x=5$

D: $(-\infty, -5) \cup (-5, 5) \cup (5, \infty)$

f. $G(x) = \frac{x^4-16}{x^2+9}$

$x^2+9=0$
 $x^2=-9$
 $\sqrt{x^2} = \sqrt{-9}$
 $x = \pm 3i$

D: $(-\infty, \infty)$

10. Find the vertical asymptotes of the function, if any.

a. $f(x) = \frac{3}{x+2} = \frac{3}{x+2}$

$x+2=0$
 $x=-2$

VA: $x=-2$

b. $g(x) = \frac{x+1}{2x-6} = \frac{x+1}{2x-6}$

$2x-6=0$
 $\frac{2x}{2} = \frac{6}{2}$
 $x=3$

VA: $x=3$

c. $h(x) = \frac{3x^2-6x+2}{x-2} = \frac{3x^2-6x+2}{x-2}$

$x-2=0$
 $+2 +2$
 $x=2$

VA: $x=2$

d. $R(x) = \frac{x^2-9}{x^2+x-2} = \frac{(x+3)(x-2)}{(x+2)(x-1)}$

$(x+2)(x-1)=0$
 $x+2=0$ $x-1=0$
 $x=-2$ $x=1$

VA: $x=-2, x=1$

e. $G(x) = \frac{x^2+2x-15}{x^2-25} = \frac{(x+5)(x-3)}{(x+5)(x-5)}$

$x-5=0$
 $x=5$

VA: $x=5$

f. $G(x) = \frac{x^4-16}{x^2+9} = \frac{(x^2-4)(x^2+4)}{x^2+9}$

$x^2+9=0$
 $x^2=-9$
 $x = \pm 3i$

No VA

11. Use your work from above to decide if the function has a hole. Identify the location of the holes, if any.

a. $f(x) = \frac{3}{x+2}$

No hole

b. $g(x) = \frac{x+1}{2x-6}$

No hole

c. $h(x) = \frac{3x^2-6x+2}{x-2}$

No hole

d. $R(x) = \frac{x^2-9}{x^2+x-2}$

No hole

e. $G(x) = \frac{x^2+2x-15}{x^2-25} = \frac{x-3}{x-5}$

hole @ $x=-5$

$\frac{-5-3}{-5-5} = \frac{-8}{-10} = \frac{4}{5}$

hole $(-5, \frac{4}{5})$

f. $G(x) = \frac{x^4-16}{x^2+9}$

no hole

12. Find the horizontal asymptote or oblique asymptote of the functions, if any.

a. $f(x) = \frac{3}{x+2}$ degree = 0
degree = 1

case 1

HA: $y = 0$.

b. $g(x) = \frac{x+1}{2x-6}$ degree = 1
degree = 1

case 2

HA: $y = \frac{1}{2}$

c. $h(x) = \frac{3x^2 - 6x + 2}{x-2}$ degree = 2
degree = 1

case 3

$$x-2 \overline{) \begin{array}{r} 3x \\ 3x^2 - 6x + 2 \\ \underline{-3x^2 + 6x} \\ 0 + 2 \end{array}}$$

OA: $y = 3x$

d. $R(x) = \frac{x^2 - 9}{x^2 + x - 2}$ degree = 2
degree = 2

case 2

HA: $y = 1$

e. $G(x) = \frac{x^2 + 2x - 15}{x^2 - 25}$ degree = 2
degree = 2

case 2

HA: $y = 1$

f. $G(x) = \frac{x^4 - 16}{x^2 + 9}$ degree = 4
degree = 2

case 4

NO HA

NO OA

13. Find any points for which the graph crosses the horizontal or oblique asymptote.

a. $f(x) = \frac{3}{x+2}$

HA = $f(x)$

$(x+2) \cdot 0 = \frac{3}{x+2} \cdot (x+2)$

$0 = 3$
No Solution

None

b. $g(x) = \frac{x+1}{2x-6}$ HA = $g(x)$

$\frac{1}{2} = \frac{x+1}{2x-6}$

None

$1(2x-6) = 2(x+1)$

$2x-6 = 2x+2$

$-6 = 2$ No Solution

c. $h(x) = \frac{3x^2 - 6x + 2}{x-2}$ OA = $h(x)$

$(x-2)3x = \frac{3x^2 - 6x + 2}{x-2} \cdot (x-2)$

$3x^2 - 6x = 3x^2 - 6x + 2$

$0 = 2$ No Solution

None

d. $R(x) = \frac{x^2 - 9}{x^2 + x - 2}$ HA = $R(x)$

$(x^2 + x - 2)1 = \frac{x^2 - 9}{x^2 + x - 2} \cdot (x^2 + x - 2)$

$x^2 + x - 2 = x^2 - 9$

$x - 2 = -9$

Crosses @ $(-7, 1)$

e. $G(x) = \frac{x^2 + 2x - 15}{x^2 - 25}$ HA = $G(x)$

$1 = \frac{x-3}{x-5}$

$x-5 = x-3$

$-5 = -3$

No Solution

None

f. $G(x) = \frac{x^4 - 16}{x^2 + 9}$

No Asymptote to Cross

14. Find the intercepts of the rational functions.

a. $f(x) = \frac{3}{x+2}$

x-int $y=0$

$0 = \frac{3}{x+2}$

$0 = 3$

No Solution
No x-int

y-int $f(0)$

$f(0) = \frac{3}{0+2} = \frac{3}{2}$

y-int $(\frac{3}{2}, 0)$

d. $R(x) = \frac{x^2 - 9}{x^2 + x - 2}$

x-int

$x^2 - 9 = 0$

$x^2 = 9$

$x = \pm 3$

$(3, 0)$

$(-3, 0)$

y-int

$R(0) = \frac{0^2 - 9}{0^2 + 0 - 2}$

$= \frac{9}{2}$

$(0, \frac{9}{2})$

b. $g(x) = \frac{x+1}{2x-6}$ if rat is reduced

x-int $y=0$ or num = 0

$x+1 = 0$

$x = -1$

$(-1, 0)$

y-int $(0, -1/6)$

$g(0) = \frac{0+1}{2(0)-6}$

$= -\frac{1}{6}$

e. $G(x) = \frac{x^2 + 2x - 15}{x^2 - 25} = \frac{x-3}{x-5}$

x-int

$x-3 = 0$

$x = 3$

$(3, 0)$

y-int

$\frac{0-3}{0-5}$

$= \frac{3}{5}$

$(0, \frac{3}{5})$

c. $h(x) = \frac{3x^2 - 6x + 2}{x-2}$ y-int $h(0)$

x-int

$3x^2 - 6x + 2 = 0$

$x = \frac{6 \pm \sqrt{(-6)^2 - 4(3)(2)}}{2(3)}$

$= \frac{6 \pm \sqrt{12}}{6} = \frac{6 \pm 2\sqrt{3}}{6} = \frac{3 \pm \sqrt{3}}{3} = 1.6$

$\frac{3(0)^2 - 6(0) + 2}{0-2} = -1$

$(0, -1)$

f. $G(x) = \frac{x^4 - 16}{x^2 + 9} = \frac{(x+2)(x-2)(x^2+4)}{x^2+9}$

$(x+2)(x-2)(x^2+4) = 0$

$x+2 = 0$ $x-2 = 0$ $x^2+4 = 0$

$x = -2$ $x = 2$ $x^2 = -4$

$x^2 = -4$

x-int $(-2, 0)$

$(2, 0)$

y-int

$\frac{0^4 - 16}{0^2 + 9} = -\frac{16}{9}$

≈ -1.8

$$\boxed{9-14a} \quad f(x) = \frac{3}{x+2}$$

Domain: $(-\infty, -2) \cup (-2, \infty)$

VA: $x = -2$; No hole

HA: $y = 0$; No crossing

x-int: None

y-int: $(0, \frac{3}{2}) \rightarrow (0, 1.5)$

$$\boxed{9-14b} \quad g(x) = \frac{x+1}{2x-6}$$

Domain: $(-\infty, 3) \cup (3, \infty)$

VA: $x = 3$; no hole

HA: $y = \frac{1}{2}$; No crossing

x-int: $(-1, 0)$

y-int: $(0, -\frac{1}{6})$

$$\boxed{9-14c} \quad h(x) = \frac{3x^2 - 6x + 2}{x-2}$$

Domain: $(-\infty, 2) \cup (2, \infty)$

VA: $x = 2$; No hole

HA: None

OA: $y = 3x$; No crossing

x-int: $(1.6, 0)$ $(.42, 0)$

y-int: $(0, -1)$

$$\boxed{9-14d} \quad R(x) = \frac{x^2 - 9}{x^2 + x - 2}$$

Domain: $(-\infty, -2) \cup (-2, 1) \cup (1, \infty)$

VA: $x = -2, x = 1$; No hole

HA: $y = 1$; cross @ $(-7, 1)$

x-int: $(3, 0)$ $(-3, 0)$

y-int: $(0, \frac{9}{2}) \rightarrow (0, 4.5)$

$$\boxed{9-14e} \quad G(x) = \frac{x^2 + 2x - 15}{x^2 - 25}$$

Domain: $(-\infty, -5) \cup (-5, 5) \cup (5, \infty)$

VA: $x = 5$; hole @ $(-5, \frac{4}{5})$

HA: $y = 1$; No crossing

x-int: $(3, 0)$

y-int: $(0, \frac{3}{5})$

$$\boxed{9-14f} \quad F(x) = \frac{x^4 - 16}{x^2 + 9}$$

Domain: $(-\infty, \infty)$

VA: None; No holes

HA: None



OA: None

x-int: $(2, 0)$ $(-2, 0)$





y-int: $(0, -\frac{16}{9}) \rightarrow (0, -1.8)$

Summary
of info
for each
function

15. Use the information in 9-14 to graph a-f.



| | |
|---|--|
| x | y |
| 5 | $\frac{5+1}{2(5)-6} = \frac{6}{4} = \frac{3}{2}$ |



Use the function $f(x) = \frac{2x}{x^2-9}$ to answer the following questions.

16. Find the domain of the function.

$$x^2 - 9 = 0$$

$$(x+3)(x-3) = 0$$

$$x+3=0 \quad x-3=0$$

$$\bullet \quad x=-3 \quad x=3$$

$$D: (-\infty, -3) \cup (-3, 3) \cup (3, \infty)$$

17. Find any vertical asymptotes or holes in the graph.

$$f(x) = \frac{2x}{(x+3)(x-3)}$$

$$VA: x = -3, x = 3$$

$$(x+3)(x-3) = 0$$

$$x+3=0 \quad x-3=0$$

$$x = -3 \quad x = 3$$

No hole

18. Find any horizontal or oblique asymptotes and any points where the function crosses these asymptotes.

$$f(x) = \frac{2x}{x^2-9} \rightarrow \text{Degree 1}$$

$$x^2-9 \rightarrow \text{Degree 2}$$

Case 1

$$HA: y = 0$$

$$0 = \frac{2x}{x^2-9}$$

$$(x^2-9)(0) = \frac{2x}{x^2-9} \cdot x^2-9$$

$$0 = \frac{2x}{1}$$

$$\frac{0}{2} = \frac{2x}{2}$$

$$0 = x$$

crosses @ (0,0)

19. Find any x or y intercepts.

$$x\text{-int}$$

$$\frac{2x}{2} = 0$$

$$x = 0$$

$$(0,0)$$

$$y\text{-int}$$

$$f(0) = \frac{2(0)}{0^2-9}$$

$$= 0$$

$$(0,0)$$

20. Use the information to graph the function.

Need more points to get a good picture

| x | y |
|----|-------|
| -4 | -1.14 |
| -2 | .8 |
| 2 | -.8 |
| 4 | 1.14 |


$$f(-4) = \frac{2(-4)}{(-4)^2-9} = \frac{-8}{16-9} = \frac{-8}{7} = -1.14$$

$$f(-2) = \frac{2(-2)}{(-2)^2-9} = \frac{-4}{4-9} = \frac{-4}{-5} = \frac{4}{5} = .8$$

$$f(2) = \frac{2(2)}{2^2-9} = \frac{4}{4-9} = \frac{4}{-5} = -\frac{4}{5} = -.8$$

$$f(4) = \frac{2(4)}{4^2-9} = \frac{8}{16-9} = \frac{8}{7} = 1.14$$

Choose x in each section



x = -4 x = -2 x = 2 x = 4